

NCI-H358 | 300430

Description	NCI-H358	H-358	NCIH358		NSCLC				
			EGFR		NSCLC	NCI-H358	KRAS		
	NCI-H358	p53	p53	H358		SOS1 PROTACs			
	NCI-H358		NSCLC		KRAS				

Organism

Tissue

Disease

Synonyms	NCI-H358	H-358	NCIH358
-----------------	----------	-------	---------

Age

Gender

Ethnicity

Cell type

Growth properties

Citation	NCI-H358	Cytion	300430
-----------------	----------	--------	--------

Biosafety level	1
------------------------	---

NCBI_TaxID	9606
-------------------	------

CellosaurusAccession	CVCL_1559
-----------------------------	-----------

NCI-H358 | 300430

Protein expression UGT - GST + PST + p53 -

Tumorigenic

Mutational profile P53

Culture Medium RPMI 1640 w 2.0 mM w 2.0 g/L NaHCO3 Cytion 820700a

Supplements 10% FBS

Dissociation Reagent Accutase

Subculturing PBS T25 3-5 PBS T75 5-10 Accutase T25 1-2 T75 2.5

Freeze medium FBS +10% DMSO CM-1 Cytion 800100 CM-1 Cytion 800100

NCI-H358 | 300430

**Thawing and
Culturing Cells**

- 1.
2. -150°C 3
3. 37°C 40-60
4. 70%
5. 8 15
6. 300 x g 3
7. 10 T25 T25
- 8.

**Incubation
Atmosphere**

37°C, 5% CO₂

Flask Coating

**Freezing
Procedure**

-78 °C

**Shipping
Conditions**

-78 °C

**Storage
Conditions**

-150 -196 -80 °C

/ /HLA

Sterility

PCR