

Hep-74.3A | 400208

Description	Hep-74.3	C3H/He	Hep-74.3	K8	K18
	Hep-74.3		Hep-74.3 DNA		
		p53	Hep-74.3 p53 c-Ha-ras		p53

Organism

Tissue

Disease

Synonyms Hep-74.3, HEP-74.3a, 74.3A, 74.3a

Breed/Subspecies C57BL/6J

Age

Gender

Morphology

Growth properties

Citation Hep-74.3A Cytion 400208

Biosafety level 1

NCBI_TaxID 10090

CellosaurusAccession CVCL_5773

Hep-74.3A | 400208

Protein expression	8	18
---------------------------	---	----

Tumorigenic	C3H/HE
--------------------	--------

Mutational profile	P53 wt
---------------------------	--------

Culture Medium	Ham's F12 w 1.0 mM	w 1.0 mM	w 1.1 g/L NaHCO3	Cytion 820600a
-----------------------	--------------------	----------	------------------	----------------

Supplements	10% FBS
--------------------	---------

Dissociation Reagent	Accutase
-----------------------------	----------

Subculturing	PBS	T25	3-5	PBS	T75	5-10	Accutase	T25	1-2	T75	2.5
---------------------	-----	-----	-----	-----	-----	------	----------	-----	-----	-----	-----

Seeding density	1×10^4	/
------------------------	-----------------	---

Fluid renewal	3	5
----------------------	---	---

Post-Thaw Recovery	4	5×10	24
---------------------------	-----	---------------	----

Freeze medium	FBS +10% DMSO	CM-1 Cytion	800100	CM-1 Cytion	800100
----------------------	---------------	-------------	--------	-------------	--------

Hep-74.3A | 400208

Thawing and Culturing Cells				
1.				
2.		-150°C		3
3.		37°C	40-60	
4.			70%	
5.		8	15	
6.	300 x g	3		
7.	10		T25	T25
8.				

Incubation Atmosphere 37°C, 5% CO₂

Flask Coating

Freezing Procedure -78 °C

Shipping Conditions -78 °C

Storage Conditions -150 -196 -80 °C

/ /HLA

Sterility PCR