

TCCSUP | 305073

| | | | | | |
|--------------------|--------|----|--------|--------|---------------|
| Description | TCCSUP | IV | TCC | | |
| | TCCSUP | | | TCCSUP | |
| | | | TCCSUP | | PI3K/AKT MAPK |

Organism

Tissue

Disease

Synonyms TCCSuP, TCC-SUP, TCC Sup

Age 67

Gender

Ethnicity

Morphology

Growth properties

Citation TCCSUP Cytion 305073

Biosafety level 1

NCBI_TaxID 9606

CellosaurusAccession CVCL_1738

TCCSUP | 305073

| | |
|-----------------------|---|
| Culture Medium | EMEM MEM Eagle w 2 mM L- w 2.2 g/L NaHCO3 w EBSS Cytion 820100a |
|-----------------------|---|

| | |
|--------------------|-----------------|
| Supplements | 10% FBS 1% NEAA |
|--------------------|-----------------|

| | |
|-----------------------------|----------|
| Dissociation Reagent | Accutase |
|-----------------------------|----------|

| | |
|----------------------|-------|
| Doubling time | 30 40 |
|----------------------|-------|

| | |
|---------------------|---|
| Subculturing | PBS T25 3-5 PBS T75 5-10 Accutase T25 1-2 T75 2.5 |
|---------------------|---|

| | |
|----------------------|-----|
| Fluid renewal | 2 3 |
|----------------------|-----|

| | |
|----------------------|---|
| Freeze medium | FBS +10% DMSO CM-1 Cytion 800100 CM-1 Cytion 800100 |
|----------------------|---|

| | |
|------------------------------------|---------------|
| Thawing and Culturing Cells | 1. |
| | 2. -150°C 3 |
| | 3. 37°C 40-60 |
| | 4. 70% |
| | 5. 8 15 |
| | 6. 300 x g 3 |
| | 7. 10 T25 T25 |
| | 8. |

| | |
|------------------------------|--------------|
| Incubation Atmosphere | 37°C, 5% CO2 |
|------------------------------|--------------|

| | |
|----------------------|--|
| Flask Coating | |
|----------------------|--|

TCCSUP | 305073

**Freezing
Procedure**

-78 °C

**Shipping
Conditions**

-78 °C

**Storage
Conditions**

-150 -196 -80 °C

/ **/HLA**

Sterility

PCR