

PA-1 | 300402

**Description** 5- -2'- PCC4 F9

**Organism**

**Tissue**

**Disease**

**Metastatic site**

**Synonyms** PA1 PAI PAI

**Age** 12

**Gender**

**Ethnicity**

**Morphology**

**Growth properties**

**Citation** PA-1 Cytion 300402

**Biosafety level** 1

**NCBI\_TaxID** 9606

**CellosaurusAccession** CVCL\_0479

PA-1 | 300402

<b>Antigen expression</b>	HLA A28 B12
---------------------------	-------------

<b>Isoenzymes</b>	G6PD B
-------------------	--------

<b>Oncogenes</b>	N-ras
------------------	-------

**Tumorigenic**

<b>Culture Medium</b>	EMEM MEM Eagle w 2 mM L- w 2.2 g/L NaHCO3 w EBSS Cytion 820100a
-----------------------	---

<b>Supplements</b>	10% FBS 1% NEAA
--------------------	-----------------

<b>Dissociation Reagent</b>	Accutase
-----------------------------	----------

<b>Subculturing</b>	PBS T25 3-5 PBS T75 5-10 Accutase T25 1-2 T75 2.5
---------------------	---

<b>Fluid renewal</b>	2 3
----------------------	-----

<b>Freeze medium</b>	FBS +10% DMSO CM-1 Cytion 800100 CM-1 Cytion 800100
----------------------	---

PA-1 | 300402

Thawing and Culturing Cells				
1.				
2.		-150°C		3
3.		37°C	40-60	
4.			70%	
5.		8	15	
6.	300 x g	3		
7.	10		T25	T25
8.				

**Incubation Atmosphere** 37°C, 5% CO<sub>2</sub>

**Flask Coating**

**Freezing Procedure** -78 °C

**Shipping Conditions** -78 °C

**Storage Conditions** -150 -196 -80 °C

/ /HLA

**Sterility** PCR