

HS-695T | 300211

Description	HS-695T				HS-695T
	HS-695T	Melan-A	HMB-45		BRAF NRAS

Organism

Tissue

Disease

Metastatic site

Synonyms Hs 695.T Hs-695-T Hs 695T HS 695T Hs695T HS695T Hs695

Age 26

Gender

Ethnicity

Morphology

Growth properties

Citation HS-695T Cytion 300211

Biosafety level 1

NCBI_TaxID 9606

CellosaurusAccession CVCL_0851

HS-695T | 300211

Protein expression	P53
---------------------------	-----

Isoenzymes	G6PD B PGM1 1 PGM3 1 ES-D 1 Me-2 0 AK-1 1 GLO-1 1	0.0427
-------------------	---	--------

Tumorigenic	
--------------------	--

Mutational profile	BRAF V600Emut
---------------------------	---------------

Karyotype	(P19-40) = 52 Y
------------------	-----------------

Culture Medium	DMEM w 4.5 / w 4 L- w 3.7 / NaHCO3 w 1.0	Cytion 820300a
-----------------------	--	----------------

Supplements	10% FBS
--------------------	---------

Dissociation Reagent	Accutase
-----------------------------	----------

Subculturing	PBS T25 3-5 PBS T75 5-10	Accutase T25 1-2 T75 2.5
---------------------	--------------------------	--------------------------

Seeding density	2×10^4 /
------------------------	-------------------

Fluid renewal	2 3
----------------------	-----

Post-Thaw Recovery	4×10^5	24
---------------------------	-----------------	----

Freeze medium	FBS +10% DMSO CM-1 Cytion	800100	CM-1 Cytion	800100
----------------------	---------------------------	--------	-------------	--------

HS-695T | 300211

Thawing and Culturing Cells				
1.				
2.		-150°C		3
3.		37°C	40-60	
4.			70%	
5.		8	15	
6.	300 x g	3		
7.	10		T25	T25
8.				

Incubation Atmosphere 37°C, 5% CO₂

Flask Coating

Freezing Procedure -78 °C

Shipping Conditions -78 °C

Storage Conditions -150 -196 ❏ -80 °C

/ /HLA

Sterility PCR