

MDA-kb2 | 305108

<b>Description</b>	MDA-kb2	ER	AR	MDA-kb2
	MDA-kb2	AR	MDA-kb2	10% Leibovitz's L-15

**Organism**

**Tissue**

**Disease**

**Metastatic site**

<b>Synonyms</b>	MDA-Kb2
-----------------	---------

<b>Age</b>	48
------------	----

**Gender**

**Morphology**

**Growth properties**

<b>Citation</b>	MDA-kb2 Cytion 305108
-----------------	-----------------------

<b>Biosafety level</b>	1
------------------------	---

<b>NCBI_TaxID</b>	9606
-------------------	------

<b>CellosaurusAccession</b>	CVCL_6421
-----------------------------	-----------

<b>GMO Status</b>	GMO-S1 MDA-kb2 -Luc
-------------------	---------------------

**MDA-kb2 | 305108**

<b>Protein expression</b>	MMTV	-Luc	GR	AR
---------------------------	------	------	----	----

<b>Culture Medium</b>	Leibovitz's L-15 w 2.0 mM L-	0.55 g/L NaHCO3
-----------------------	------------------------------	-----------------

<b>Supplements</b>	10% FBS
--------------------	---------

<b>Dissociation Reagent</b>	Accutase
-----------------------------	----------

<b>Subculturing</b>	PBS	T25	3-5	PBS	T75	5-10	Accutase	T25	1-2	T75	2.5
---------------------	-----	-----	-----	-----	-----	------	----------	-----	-----	-----	-----

<b>Fluid renewal</b>	2	3
----------------------	---	---

<b>Freeze medium</b>	FBS +10% DMSO	CM-1 Cytion	800100	CM-1 Cytion	800100
----------------------	---------------	-------------	--------	-------------	--------

<b>Thawing and Culturing Cells</b>	1.			
	2.	-150°C		3
	3.	37°C		40-60
	4.		70%	
	5.	8	15	
	6.	300 x g	3	
	7.	10		T25
	8.			T25

MDA-kb2 | 305108

**Incubation  
Atmosphere** 37°C, 5% CO<sub>2</sub>

**Shipping  
Conditions** -78 °C

**Storage  
Conditions** -150 -196 -80 °C

/ /HLA

**Sterility** PCR