

BNL CL.2 | 305177

Description	BNL CL.2	BALB/c	BNL CL.2
	BNL CL.2		

Organism

Tissue

Synonyms BNL CL.2 BNL CL2 BNL.CL2 BN-CL2 BNCL-2 BNCL2

Breed/Subspecies BALB/c

Age

Morphology

Growth properties

Citation BNL CL.2 Cytion 305177

Biosafety level 1

NCBI_TaxID 10090

CellosaurusAccession CVCL_4383

Tumorigenic

BNL CL.2 | 305177

Culture Medium	DMEM w 4.5 / w 4 L- w 3.7 / NaHCO3 w 1.0	Cytion 820300a
-----------------------	--	----------------

Supplements	10% FBS
--------------------	---------

Dissociation Reagent	Accutase
-----------------------------	----------

Subculturing	PBS T25 3-5 PBS T75 5-10	Accutase T25 1-2 T75 2.5
---------------------	--------------------------	--------------------------

Fluid renewal	2 3
----------------------	-----

Freeze medium	FBS +10% DMSO CM-1 Cytion 800100	CM-1 Cytion 800100
----------------------	----------------------------------	--------------------

Thawing and Culturing Cells	1.		
	2.	-150°C	3
	3.	37°C	40-60
	4.	70%	
	5.	8	15
	6.	300 x g 3	
	7.	10	T25 T25
	8.		

Incubation Atmosphere	37°C, 5% CO ₂
------------------------------	--------------------------

Flask Coating	
----------------------	--

Freezing Procedure	-78 °C
---------------------------	--------

Product sheet

BNL CL.2 | 305177

Shipping Conditions -78 °C

Storage Conditions -150 -196 -80 °C

/ **/HLA**

Sterility PCR