

Panc 10.05 | 300599

Description	Panc 10.05	PDAC	PDAC	Panc 10.05
	Panc 10.05		Panc 10.05	TAMs
	Panc 10.05			

Organism

Tissue

Disease

Applications

Synonyms Panc-10.05, Panc10.05, PANC-10-05, PANC 1005, PANC1005, Panc1005, Pa16C, PL12, PL-12

Age 81

Gender

Ethnicity

Morphology

Cell type

Growth properties

Citation Panc 10.05 Cytion 300599

Biosafety level 1

NCBI_TaxID 9606

Panc 10.05 | 300599

CellosaurusAccession CVCL_1639

Protein expression 7 18

Antigen expression MHC I + MHC II -

Oncogenes K-ras+

Tumorigenic SCID

Culture Medium RPMI 1640 w 2.0 mM w 2.0 g/L NaHCO3 Cytion 820700a

Supplements 20% FBS 10 /

Dissociation Reagent Accutase

Subculturing PBS T25 3-5 PBS T75 5-10 Accutase T25 1-2 T75 2.5

Freeze medium FBS +10% DMSO CM-1 Cytion 800100 CM-1 Cytion 800100

Panc 10.05 | 300599

**Thawing and
Culturing Cells**

- 1.
2. -150°C 3
3. 37°C 40-60
4. 70%
5. 8 15
6. 300 x g 3
7. 10 T25 T25
- 8.

**Incubation
Atmosphere**

37°C, 5% CO₂

Flask Coating

**Freezing
Procedure**

-78 °C

**Shipping
Conditions**

-78 °C

**Storage
Conditions**

-150 -196 -80 °C

/ /HLA

Sterility

PCR