

CT26.WT | 305178

<b>Description</b>	CT26.WT	CT26	CT26 BALB/c	BALB/c CT26.WT	N-	-N-	NNMU
--------------------	---------	------	----------------	-------------------	----	-----	------

**Organism**

**Tissue**

**Disease**

<b>Synonyms</b>	CT26WT
-----------------	--------

<b>Breed/Subspecies</b>	BALB/c
-------------------------	--------

**Morphology**

**Growth properties**

<b>Citation</b>	CT26.WT Cytion	305178
-----------------	----------------	--------

<b>Biosafety level</b>	1
------------------------	---

<b>NCBI_TaxID</b>	10090
-------------------	-------

<b>CellosaurusAccession</b>	CVCL_7256
-----------------------------	-----------

<b>Antigen expression</b>	H-2d
---------------------------	------

**Tumorigenic**

CT26.WT | 305178

<b>Culture Medium</b>	RPMI 1640 w 2.0 mM	w 2.0 g/L NaHCO3	Cytion	820700a
-----------------------	--------------------	------------------	--------	---------

<b>Supplements</b>	10% FBS
--------------------	---------

<b>Dissociation Reagent</b>	Accutase
-----------------------------	----------

<b>Subculturing</b>	PBS	T25	3-5	PBS	T75	5-10	Accutase	T25	1-2	T75	2.5
---------------------	-----	-----	-----	-----	-----	------	----------	-----	-----	-----	-----

<b>Fluid renewal</b>	2	3
----------------------	---	---

<b>Freeze medium</b>	FBS +10% DMSO	CM-1	Cytion	800100	CM-1	Cytion	800100
----------------------	---------------	------	--------	--------	------	--------	--------

<b>Thawing and Culturing Cells</b>	1.										
	2.		-150°C					3			
	3.		37°C			40-60					
	4.			70%							
	5.		8		15						
	6.	300 x g	3								
	7.	10				T25		T25			
	8.										

<b>Incubation Atmosphere</b>	37°C, 5% CO2
------------------------------	--------------

<b>Flask Coating</b>	
----------------------	--

CT26.WT | 305178

---

**Freezing Procedure** -78 °C

**Shipping Conditions** -78 °C

**Storage Conditions** -150 -196 -80 °C

/ **/HLA**

**Sterility** PCR