

CHL | 305013

<b>Description</b>	CHL	Cricetulus griseus	CHL
	CHL		

**Organism**

**Tissue**

**Synonyms**

**Morphology**

**Growth properties**

<b>Citation</b>	CHL Cytion	305013
-----------------	------------	--------

<b>Biosafety level</b>	1
------------------------	---

<b>NCBI_TaxID</b>	10029
-------------------	-------

<b>CellosaurusAccession</b>	CVCL_0212
-----------------------------	-----------

<b>Protein expression</b>	T-PA
---------------------------	------

<b>Culture Medium</b>	EMEM MEM Eagle w 2 mM L- w 2.2 g/L NaHCO3 w EBSS Cytion	820100a
-----------------------	---	---------

<b>Supplements</b>	10% FBS 1% NEAA
--------------------	-----------------

CHL | 305013

<b>Dissociation Reagent</b>	Accutase
-----------------------------	----------

<b>Subculturing</b>	PBS	T25	3-5	PBS	T75	5-10	Accutase	T25	1-2	T75	2.5
---------------------	-----	-----	-----	-----	-----	------	----------	-----	-----	-----	-----

<b>Fluid renewal</b>	2	3
----------------------	---	---

<b>Freeze medium</b>	FBS +10% DMSO	CM-1	Cytion	800100	CM-1	Cytion	800100
----------------------	---------------	------	--------	--------	------	--------	--------

<b>Thawing and Culturing Cells</b>	1.						
	2.		-150°C			3	
	3.		37°C		40-60		
	4.			70%			
	5.		8	15			
	6.	300 x g	3				
	7.	10			T25		T25
	8.						

<b>Incubation Atmosphere</b>	37°C, 5% CO <sub>2</sub>
------------------------------	--------------------------

<b>Shipping Conditions</b>	-78 °C
----------------------------	--------

<b>Storage Conditions</b>	-150	-196	-80 °C
---------------------------	------	------	--------

/ /HLA

CHL | 305013

**Sterility**

PCR