

**KYSE-150 | 305087**

<b>Description</b>	KYSE-150	(ESCC)	KYSE	
	KYSE-150	p16 INK4a	p16	CpG
	KYSE-150	ESCC		

KYSE-15

**Organism**

<b>Tissue</b>
---------------

**Disease**

<b>Synonyms</b>	KYSE 150 KYSE150 Kyse150 KY150
-----------------	--------------------------------

<b>Age</b>	49
------------	----

**Gender**

<b>Ethnicity</b>
------------------

**Morphology**

<b>Growth properties</b>
--------------------------

<b>Citation</b>	KYSE-150 Cytion 305087
-----------------	------------------------

**Biosafety level** 1

<b>NCBI_TaxID</b>	9606
-------------------	------

**CellosaurusAccession** CVCL\_1348

**KYSE-150 | 305087**

<b>Culture Medium</b>	50:50	Ham's F12	RPMI 1640	Cytion	820600a	820702a
-----------------------	-------	-----------	-----------	--------	---------	---------

**Supplements** 5% FBS

<b>Dissociation Reagent</b>	Accutase
-----------------------------	----------

**Doubling time** 25

<b>Subculturing</b>	PBS	T25	3-5	PBS	T75	5-10	Accutase	T25	1-2	T75	2.5
---------------------	-----	-----	-----	-----	-----	------	----------	-----	-----	-----	-----

**Fluid renewal** 2 3

<b>Freeze medium</b>	FBS +10% DMSO	CM-1	Cytion	800100	CM-1	Cytion	800100
----------------------	---------------	------	--------	--------	------	--------	--------

**Thawing and Culturing Cells**

- 1.
2. -150°C 3
3. 37°C 40-60
4. 70%
5. 8 15
6. 300 x g 3
7. 10 T25 T25
- 8.

<b>Incubation Atmosphere</b>	37°C, 5% CO <sub>2</sub>
------------------------------	--------------------------

**Flask Coating**

KYSE-150 | 305087

**Freezing Procedure** -78 °C

**Shipping Conditions** -78 °C

**Storage Conditions** -150 -196 -80 °C

/ /HLA

**Sterility** PCR