

NCI-H1568 | 305137

Description 1986 12

Organism

Tissue

Disease

Metastatic site

Synonyms NCI-H1568 H-1568 NCIH1568

Age 48

Gender

Ethnicity

Morphology

Growth properties

Citation NCI-H1568 Cytion 305137

Biosafety level 1

NCBI_TaxID 9606

CellosaurusAccession CVCL_1476

Product sheet



NCI-H1568 | 305137

Culture Medium	RPMI 1640 w 2.0 mM	w 2.0 g/L NaHCO3	Cytion	820700a
-----------------------	--------------------	------------------	--------	---------

Supplements	10% FBS
--------------------	---------

Dissociation Reagent	Accutase
-----------------------------	----------

Doubling time	42.5
----------------------	------

Subculturing	PBS	T25	3-5	PBS	T75	5-10	Accutase	T25	1-2	T75	2.5
---------------------	-----	-----	-----	-----	-----	------	----------	-----	-----	-----	-----

Fluid renewal	2	3
----------------------	---	---

Freeze medium	FBS +10% DMSO	CM-1	Cytion	800100	CM-1	Cytion	800100
----------------------	---------------	------	--------	--------	------	--------	--------

Thawing and Culturing Cells	1.										
	2.		-150°C				3				
	3.		37°C			40-60					
	4.			70%							
	5.		8	15							
	6.	300 x g	3								
	7.	10			T25			T25			
	8.										

Incubation Atmosphere	37°C, 5% CO2
------------------------------	--------------

Flask Coating	
----------------------	--

NCI-H1568 | 305137

**Freezing
Procedure**

-78 °C

**Shipping
Conditions**

-78 °C

**Storage
Conditions**

-150 -196 -80 °C

/ /HLA

Sterility

PCR