

DSL-6B-C2 | 500167

<b>Description</b>	DSL-6B/C2	DSL-6	Lewis	1986
	DSL-6B/C2			

**Organism**

**Tissue**

**Disease**

**Metastatic site**

<b>Synonyms</b>	DSL-6B/C2 DSL-6B/C2
-----------------	---------------------

**Breed/Subspecies**

<b>Age</b>	2
------------	---

**Gender**

**Morphology**

**Cell type**

**Growth properties**

<b>Citation</b>	DSL-6B-C2 Cytion	500167
-----------------	------------------	--------

<b>Biosafety level</b>	1
------------------------	---

<b>NCBI_TaxID</b>	10116
-------------------	-------

<b>CellosaurusAccession</b>	CVCL_4167
-----------------------------	-----------

DSL-6B-C2 | 500167

**Tumorigenic**

**Products**

**Culture Medium** DMEM:Ham's F12 1:1 w: 3.1 g/L w: 2.5 mM L- w: 15 mM HEPES w: 0.5 mM w: 1.2 g/L NaHCO3 Cytion 8

**Supplements** 10% FBS

**Dissociation Reagent** Accutase

**Subculturing** PBS T25 3-5 PBS T75 5-10 Accutase T25 1-2 T75 2.5

**Seeding density**  $1 \times 10^4 / \text{cm}^2$  4

**Fluid renewal** 2

**Post-Thaw Recovery**  $4 \times 10^5$  24

**Freeze medium** FBS +10% DMSO CM-1 Cytion 800100 CM-1 Cytion 800100

DSL-6B-C2 | 500167

Thawing and Culturing Cells				
1.				
2.		-150°C		3
3.		37°C	40-60	
4.			70%	
5.		8	15	
6.	300 x g	3		
7.	10		T25	T25
8.				

**Incubation Atmosphere** 37°C, 5% CO<sub>2</sub>

**Flask Coating**

**Freezing Procedure** -78 °C

**Shipping Conditions** -78 °C

**Storage Conditions** -150 -196 -80 °C

/ /HLA

**Sterility** PCR