Product sheet

DSL-6B-C2 | 500167

Description	DSL-6B/C2 DSL-6 Lewis 1986 DSL-6B/C2
Organism	
Tissue	
Disease	
Metastatic site	
Synonyms	DSL-6B/C2 DSL-6B/C2

Breed/Subspecies	
Age	2
Gender	
Morphology	
Cell type	
Growth properties	

Citation	DSL-6B-C2 Cytion 500167
Biosafety level	1
NCBI_TaxID	10116
CellosaurusAccession	CVCL_4167

DSL-6B-C2 | 500167

Tumorigenic	
Products	
Culture Medium	DMEM:Ham's F12 1:1 w: 3.1 g/L w: 2.5 mM L- w: 15 mM HEPES w: 0.5 mM w: 1.2 g/L NaHCO3 Cytion 8
Supplements	10% FBS
Dissociation Reagent	Accutase
Subculturing	PBS T25 3-5 PBS T75 5-10 Accutase T25 1-2 T75 2.5
Seeding density	$1\times10^{4}/cm^{2}$ 4
Fluid renewal	2
Post-Thaw Recovery	^{4} /5×10 24
Freeze medium	FBS +10% DMSO CM-1 Cytion 800100 CM-1 Cytion 800100

DSL-6B-C2 | 500167

Thawing and Culturing Cells	1. 2. -150°C 3 3. 37°C 40-60 4. 70% 5. 8 15 6. 300 x g 3 7. 10 T25 T25 8.
Incubation Atmosphere	37°C, 5% $_{CO2}$,
Flask Coating	
Freezing Procedure	-78 °C
Shipping Conditions	-78 °C
Storage Conditions	-150 -196 -80 °C

/ /HLA

Sterility	PCR