

HT-1376 | 305100

Description	HT-1376	3		HT-1376
	HT-1376		9p21	CDKN2 CDKN2B MTAP
	HT-1376			HT-1376

Organism

Tissue

Disease

Synonyms HT1376 HT 1376 HT 1376.T

Age 58

Gender

Ethnicity

Morphology

Growth properties

Citation HT-1376 Cytion 305100

Biosafety level 1

NCBI_TaxID 9606

CellosaurusAccession CVCL_1292

HT-1376 | 305100

Protein expression

Tumorigenic

Culture Medium EMEM MEM Eagle w 2 mM L- w 2.2 g/L NaHCO3 w EBSS Cytion 820100a

Supplements 10% FBS 1% NEAA

Dissociation Reagent Accutase

Doubling time 31

Subculturing PBS T25 3-5 PBS T75 5-10 Accutase T25 1-2 T75 2.5

Fluid renewal 2 3

Freeze medium FBS +10% DMSO CM-1 Cytion 800100 CM-1 Cytion 800100

Thawing and Culturing Cells

- 1.
2. -150°C 3
3. 37°C 40-60
4. 70%
5. 8 15
6. 300 x g 3
7. 10 T25 T25
- 8.

HT-1376 | 305100

**Incubation
Atmosphere** 37°C, 5% CO₂

Flask Coating

**Freezing
Procedure** -78 °C

**Shipping
Conditions** -78 °C

**Storage
Conditions** -150 -196 -80 °C

/ /HLA

Sterility PCR