

NRK-EGFP3-Seh1 | 500731

| | | | | | | |
|--------------------|----------------|------|------------|------|-----------|----------------|
| Description | NRK-EGFP3-Seh1 | NRK | EGFP3-Seh1 | EGFP | Seh1 EGFP | NRK-EGFP3-Seh1 |
| | 50% | | | | | |
| | | Seh1 | | EGFP | | |

| | |
|-----------------|--|
| Organism | |
| Tissue | |

| | |
|-----------------|----------------|
| Synonyms | NRK EGFP3-Seh1 |
|-----------------|----------------|

| | |
|-------------------------|---|
| Breed/Subspecies | - |
|-------------------------|---|

| | |
|--------------------------|--|
| Morphology | |
| Growth properties | |

| | |
|-----------------|------------------------------|
| Citation | NRK-EGFP3-Seh1 Cytion 500731 |
|-----------------|------------------------------|

| | |
|------------------------|---|
| Biosafety level | 1 |
|------------------------|---|

| | |
|-------------------|-------|
| NCBI_TaxID | 10116 |
|-------------------|-------|

| | |
|-----------------------------|-----------|
| CellosaurusAccession | CVCL_AV94 |
|-----------------------------|-----------|

| | |
|------------------|------|
| Depositor | EMBL |
|------------------|------|

| | | |
|----------------------------|-----|-----|
| Receptors expressed | EGF | MSA |
|----------------------------|-----|-----|

NRK-EGFP3-Seh1 | 500731

| | | | | | | | | | | | | |
|-----------------------------|------------------------|-----------|------|--------|--------|-------|--------|----------|-------|--------|---------|--------|
| Protein expression | EGFP3-Seh1 | | | | | | | | | | | |
| Products | Seh1 SEH1 | | | | | | | | | | | |
| Culture Medium | DMEM | w 4.5 | / | w 4 | L- | w 3.7 | / | NaHCO3 | w 1.0 | Cytion | 820300a | |
| Supplements | 10% FBS 0.5 mg/mL G418 | | | | | | | | | | | |
| Dissociation Reagent | Accutase | | | | | | | | | | | |
| Subculturing | | PBS | T25 | 3-5 | PBS | T75 | 5-10 | Accutase | T25 | 1-2 | T75 | 2.5 |
| Seeding density | 2 4×10 ⁴ / | | | | | | | | | | | |
| Fluid renewal | 2 3 | | | | | | | | | | | |
| Freeze medium | FBS | +10% DMSO | CM-1 | Cytion | 800100 | CM-1 | Cytion | 800100 | CM-1 | Cytion | 800100 | 800100 |

NRK-EGFP3-Seh1 | 500731

**Thawing and
Culturing Cells**

- 1.
2. -150°C 3
3. 37°C 40-60
4. 70%
5. 8 15
6. 300 x g 3
7. 10 T25 T25
- 8.

**Incubation
Atmosphere**

37°C, 5% CO₂

Flask Coating

**Freezing
Procedure**

-78 °C

**Shipping
Conditions**

-78 °C

**Storage
Conditions**

-150 -196 -80 °C

/ /HLA

Sterility

PCR