

MH-S | 300487

| | | |
|--------------------|------|------|
| Description | MH-S | MH-S |
| | MH-S | |

| | |
|-----------------|--|
| Organism | |
| Tissue | |

| | |
|-------------------------|---------|
| Breed/Subspecies | BALB/cJ |
|-------------------------|---------|

| | |
|------------|---|
| Age | 7 |
|------------|---|

| | |
|---------------|--|
| Gender | |
|---------------|--|

| | |
|------------------|--|
| Cell type | |
|------------------|--|

| | |
|--------------------------|---|
| Growth properties | / |
|--------------------------|---|

| | |
|-----------------|--------------------|
| Citation | MH-S Cytion 300487 |
|-----------------|--------------------|

| | |
|------------------------|---|
| Biosafety level | 1 |
|------------------------|---|

| | |
|-------------------|------|
| NCBI_TaxID | 9606 |
|-------------------|------|

| | |
|-----------------------------|-----------|
| CellosaurusAccession | CVCL_3855 |
|-----------------------------|-----------|

| | |
|---------------------------|--------|
| Protein expression | 1 IL-1 |
|---------------------------|--------|

| | |
|---------------------------|----------------------|
| Antigen expression | CD11b Mac-1 II I-A T |
|---------------------------|----------------------|

MH-S | 300487

Viruses SV40

Culture Medium RPMI 1640 w 2.0 mM w 2.0 g/L NaHCO3 Cytion 820700a

Supplements 10% FBS

Dissociation Reagent Accutase

Subculturing 15 PBS T25 3-5 T75 5-10 Accutase T25 1-2 T75 2.5

Freeze medium FBS +10% DMSO CM-1 Cytion 800100 CM-1 Cytion 800100

- Thawing and Culturing Cells**
- 1.
 2. -150°C 3
 3. 37°C 40-60
 4. 70%
 5. 8 15
 6. 300 x g 3
 7. 10 T25 T25
 - 8.

Incubation Atmosphere 37°C, 5% CO₂

Flask Coating

MH-S | 300487

**Freezing
Procedure**

-78 °C

**Shipping
Conditions**

-78 °C

**Storage
Conditions**

-150 -196 -80 °C

/ **/HLA**

Sterility

PCR