

Hep-70.4 | 400207

Description	Hep-70.4	C57BL/6J	p53	8	SSCP
	Hep-70.4				p53
	Hep-70.4	K8 K18	K19		

Organism

Tissue

Disease

Synonyms HEP-70.4, 70.4

Breed/Subspecies C57BL/6J

Age

Gender

Morphology

Growth properties

Citation Hep-70.4 Cytion 400207

Biosafety level 1

NCBI_TaxID 10090

CellosaurusAccession CVCL_5772

Hep-70.4 | 400207

Tumorigenic C3H/He

Mutational profile P53

Culture Medium DMEM w 4.5 / w 4 L- w 3.7 / NaHCO3 w 1.0 Cytion 820300a

Supplements 10% FBS

Dissociation Reagent Accutase

Subculturing PBS T25 3-5 PBS T75 5-10 Accutase T25 1-2 T75 2.5

Seeding density 1×10^4 /

Fluid renewal 3 5

Post-Thaw Recovery 24 48

Freeze medium FBS +10% DMSO CM-1 Cytion 800100 CM-1 Cytion 800100

Hep-70.4 | 400207

Thawing and Culturing Cells				
1.				
2.		-150°C		3
3.		37°C	40-60	
4.			70%	
5.		8	15	
6.	300 x g	3		
7.	10		T25	T25
8.				

Incubation Atmosphere 37°C, 5% CO₂

Flask Coating

Freezing Procedure -78 °C

Shipping Conditions -78 °C

Storage Conditions -150 -196 -80 °C

/ /HLA

Sterility PCR