

RBE | 305019

| | | | | | | | |
|--------------------|-----|----|----|-------------|--------|-----|-------------|
| Description | RBE | CC | 64 | | SSP-25 | CC | |
| | RBE | | | CK7 CK19 γ- | GGT | CEA | 19-9 CA19-9 |

RBE

Organism

Tissue

Disease

| | |
|------------|----|
| Age | 64 |
|------------|----|

Gender

Morphology

Growth properties

| | | |
|-----------------|------------|--------|
| Citation | RBE Cytion | 305019 |
|-----------------|------------|--------|

| | |
|------------------------|---|
| Biosafety level | 1 |
|------------------------|---|

| | |
|-------------------|------|
| NCBI_TaxID | 9606 |
|-------------------|------|

| | |
|-----------------------------|-----------|
| CellosaurusAccession | CVCL_4896 |
|-----------------------------|-----------|

| | | | | |
|-----------------------|--------------------|------------------|--------|---------|
| Culture Medium | RPMI 1640 w 2.0 mM | w 2.0 g/L NaHCO3 | Cytion | 820700a |
|-----------------------|--------------------|------------------|--------|---------|

RBE | 305019

Supplements 10% FBS

Dissociation Reagent Accutase

Subculturing PBS T25 3-5 PBS T75 5-10 Accutase T25 1-2 T75 2.5

Fluid renewal 2 3

Freeze medium FBS +10% DMSO CM-1 Cytion 800100 CM-1 Cytion 800100

Thawing and Culturing Cells

- 1.
2. -150°C 3
3. 37°C 40-60
4. 70%
5. 8 15
6. 300 x g 3
7. 10 T25 T25
- 8.

Incubation Atmosphere 37°C, 5% CO₂

Flask Coating

Freezing Procedure -78 °C

RBE | 305019

**Shipping
Conditions**

-78 °C

**Storage
Conditions**

-150 -196 -80 °C

/ /HLA

Sterility

PCR