

CCRF-CEM-C7 | 300398

Description	CCRF-CEM-C7	CCRF-CEM	CCRF-CEM	T	ALL	4	ALL	
	CCRF-CEM-C7		T		T	T		DNA
	CCRF-CEM-C7	T			T			

Organism

Tissue	
---------------	--

Disease	T
----------------	---

Synonyms	CCRF-CEM C7 CCRF/CEM-C7 CEM-C7 CEM C7 CEMC7 CEM 7
-----------------	---

Age	3 11
------------	------

Gender

Ethnicity	
------------------	--

Growth properties

Citation	CCRF-CEM-C7 Cytion 300398
-----------------	---------------------------

NCBI_TaxID	9606
-------------------	------

CellosaurusAccession	CVCL_6825
-----------------------------	-----------

CCRF-CEM-C7 | 300398

Culture Medium	RPMI 1640 w 2.0 mM	w 2.0 g/L NaHCO3	Cytion	820700a
-----------------------	--------------------	------------------	--------	---------

Supplements 10% FBS

Dissociation Reagent	Accutase
-----------------------------	----------

Subculturing PBS T25 3-5 PBS T75 5-10 Accutase T25 1-2 T75 2.5

Freeze medium	FBS +10% DMSO	CM-1	Cytion	800100	CM-1	Cytion	800100
----------------------	---------------	------	--------	--------	------	--------	--------

Thawing and Culturing Cells

- 1.
2. -150°C 3
3. 37°C 40-60
4. 70%
5. 8 15
6. 300 x g 3
7. 10 T25 T25
- 8.

Incubation Atmosphere	37°C, 5% CO ₂
------------------------------	--------------------------

Flask Coating

Freezing Procedure	-78 °C
---------------------------	--------

Shipping Conditions -78 °C

CCRF-CEM-C7 | 300398

**Storage
Conditions**

-150 -196 -80 °C

/ /HLA

Sterility

PCR