

HROC183 | 300809

Description - 2006 CRC

Organism

Tissue UICC IIIb

Disease TNM T3N2M0R0L1V0 G3 Lk(n) +12 Σ Lk(n) 12

Synonyms HROC183P

Age 59

Gender

Ethnicity

Morphology

Growth properties

Citation HROC183 Cytion 300809

Biosafety level 1

NCBI_TaxID 9606

CellosaurusAccession CVCL_1D16

Protein expression PTEN

HROC183 | 300809

Antigen expression	CD326+, CD44+, CD15+, CD71+, CD73low, CD274+, CD47+, CD54+, CD95+, CD276+, CD133low, CD66acdewweak, IDO+, cFLIP+, MHC-I+, IFN-γ MHCIIweak, EpCAM+											
Tumorigenic												
Viruses	SV40 JC/BK HBV HCV HIV											
Ploidy status												
MSI-status	MSS											
Mutational profile	APCR1450* p53R280W K-RasG12d N-Raswt H-Raswt PIK3CAwt B-Rafwt											
Culture Medium	DMEM:Ham's F12	1:1	w: 3.1 g/L	w: 2.5 mM L-	w: 15 mM HEPES	w: 0.5 mM	w: 1.2 g/L NaHCO3	Cytion				
Supplements	10% FBS											
Dissociation Reagent	Accutase											
Doubling time	29											
Subculturing		PBS	T25	3-5	PBS	T75	5-10	Accutase	T25	1-2	T75	2.5
Seeding density	2 × 10 ⁴ /											
Fluid renewal	3 5											
Post-Thaw Recovery												
Freeze medium	FBS +10% DMSO	CM-1	Cytion	800100	CM-1	Cytion	800100					

HROC183 | 300809

**Thawing and
Culturing Cells**

- 1.
2. -150°C 3
3. 37°C 40-60
4. 70%
5. 8 15
6. 300 x g 3
7. 10 T25 T25
- 8.

**Incubation
Atmosphere**

37°C, 5% CO₂

Flask Coating

**Freezing
Procedure**

-78 °C

**Shipping
Conditions**

-78 °C

**Storage
Conditions**

-150 -196 -80 °C

/ /HLA

Sterility

PCR