

SK-N-SH | 305028

<b>Description</b>	SK-N-SH							
	SK-N-SH		7	9	17		17	22
	SK-N-SH					SK-N-SH		
	SK-N-SH							

17

**Organism**

**Tissue**

**Disease**

**Metastatic site**

**Synonyms** sk n sh skn-sh sk-nsh sknsh nsh

**Age**

4

**Gender**

**Ethnicity**

**Morphology**

**Growth properties**

**Citation**

SK-N-SH Cytion 305028

**Biosafety level** 1

**NCBI\_TaxID** 9606

SK-N-SH | 305028

**CellosaurusAccession** CVCL\_0531

**Protein expression** -β M-Csf

**Antigen expression** A Rh

**Culture Medium** EMEM MEM Eagle w 2 mM L- w 2.2 g/L NaHCO3 w EBSS Cytion 820100a

**Supplements** 10% FBS 1% NEAA

**Dissociation Reagent** Accutase

**Subculturing** PBS T25 3-5 PBS T75 5-10 Accutase T25 1-2 T75 2.5

**Split ratio** 1:2 1:4

**Fluid renewal** 2 3

**Freeze medium** 50% + 40% FBS + 10% DMSO CM-1 Cytion 800100

SK-N-SH | 305028

**Thawing and Culturing Cells**

1.				
2.		-150°C		3
3.		37°C	40-60	
4.		70%		
5.		8	15	
6.	300 x g	3		
7.	10		T25	T25
8.				

**Incubation Atmosphere** 37°C, 5% CO<sub>2</sub>

**Flask Coating**

**Freezing Procedure** -78 °C

**Shipping Conditions** -78 °C

**Storage Conditions** -150 -196 -80 °C

/ /HLA

**Sterility** PCR

SK-N-SH | 305028

---

**STR**

**Amelogenin:** x,x  
**CSF1PO:** 11  
**D13S317:** 11  
**D16S539:** 8,13  
**D5S818:** 12  
**D7S820:** 7,1  
**TH01:** 7,1  
**TPOX:** 8,11  
**vWA:** 14,18  
**D3S1358:** 15,16  
**D21S11:** 31,31.2  
**D18S51:** 13,16  
**Penta E:** 7,11  
**Penta D:** 10,12  
**D8S1179:** 15  
**FGA:** 23.2,24  
**D6S1043:** 12,18  
**D2S1338:** 17,19  
**D12S391:** 18,22  
**D19S433:** 13,14