

RBL-2H3 | 305194

Description	RBL-2H3	RBL-2H3	II RMCP-II	c-kit	RBL-2H3
	RBL-2H3		FceRI		IgE
	RBL-2H3		IgE	FceRI	RBL-2H3
	RBL-2H3	A23187	RBL-2H3		RBL-2H3

Organism	
Tissue	
Disease	
Synonyms	RBL2H3, RBL 2H3, RBL.2H3

Breed/Subspecies	
Morphology	
Growth properties	

Citation	RBL-2H3 Cytion 305194
Biosafety level	1
NCBI_TaxID	10116
CellosaurusAccession	CVCL_0591

Product sheet



RBL-2H3 | 305194

Culture Medium	EMEM MEM Eagle w 2 mM L- w 2.2 g/L NaHCO3 w EBSS Cytion 820100a
-----------------------	---

Supplements 10% FBS 1% NEAA

Dissociation Reagent	Accutase
-----------------------------	----------

Subculturing PBS T25 3-5 PBS T75 5-10 Accutase T25 1-2 T75 2.5

Split ratio	1:2 1:4
--------------------	---------

Fluid renewal 2 3

Freeze medium	FBS +10% DMSO CM-1 Cytion 800100 CM-1 Cytion 800100
----------------------	---

Thawing and Culturing Cells

- 1.
2. -150°C 3
3. 37°C 40-60
4. 70%
5. 8 15
6. 300 x g 3
7. 10 T25 T25
- 8.

Incubation Atmosphere	37°C, 5% CO2
------------------------------	--------------

Flask Coating

RBL-2H3 | 305194

**Freezing
Procedure**

-78 °C

**Shipping
Conditions**

-78 °C

**Storage
Conditions**

-150 -196 -80 °C

/ /HLA

Sterility

PCR