

NCI-H460 | 305020

Description	NCI-H460 H460 PGM1 PGM3	B 1-2	NCI-H460	A549 57 53 65	10% FBS RPMI 1640 p53 mRNA
--------------------	----------------------------	-------	----------	------------------	-------------------------------

33

Organism

Tissue

Disease

Metastatic site

Synonyms NCI-H460 NCI.H460 H-460 NCIH460 NCI-HUT-460 NCI-460

Gender

Ethnicity

Morphology

Growth properties

Citation	H-460 Cytion 305020
-----------------	---------------------

Biosafety level 1

NCBI_TaxID	9606
-------------------	------

CellosaurusAccession CVCL_0459

Tumorigenic

NCI-H460 | 305020

Culture Medium	RPMI 1640 w 2.0 mM	w 2.0 g/L NaHCO3	Cytion	820700a
-----------------------	--------------------	------------------	--------	---------

Supplements	10% FBS
--------------------	---------

Dissociation Reagent	Accutase
-----------------------------	----------

Subculturing	PBS	T25	3-5	PBS	T75	5-10	Accutase	T25	1-2	T75	2.5
---------------------	-----	-----	-----	-----	-----	------	----------	-----	-----	-----	-----

Fluid renewal	2	3
----------------------	---	---

Freeze medium	FBS +10% DMSO	CM-1	Cytion	800100	CM-1	Cytion	800100
----------------------	---------------	------	--------	--------	------	--------	--------

Thawing and Culturing Cells	1.										
	2.		-150°C					3			
	3.		37°C			40-60					
	4.			70%							
	5.		8		15						
	6.	300 x g	3								
	7.	10				T25		T25			
	8.										

Incubation Atmosphere	37°C, 5% CO ₂
------------------------------	--------------------------

Flask Coating	
----------------------	--

NCI-H460 | 305020

Freezing Procedure -78 °C

Shipping Conditions -78 °C

Storage Conditions -150 -196 -80 °C

/ /HLA

Sterility PCR