

**CHO-K1** | 603480

<b>Description</b>	CHO-K1	CHO	CHO	20	50	CHO-K1	CHO-
		CHO-K1					
	CHO-K1					CHO-K1	
	CHO-K1					CHO-K1	CRISPR-Cas9
		CHO-K1	CHO				

**Organism**

**Tissue**

**Applications**

<b>Synonyms</b>	CHO K1	CHOK1	CHO	K1	GM15452
-----------------	--------	-------	-----	----	---------

**Age**

**Gender**

**Morphology**

**Growth properties**

<b>Citation</b>	CHO-K1	Cytion	603480
-----------------	--------	--------	--------

<b>Biosafety level</b>	1
------------------------	---

<b>NCBI_TaxID</b>	10029
-------------------	-------

<b>CellosaurusAccession</b>	CVCL_0214
-----------------------------	-----------

CHO-K1 | 603480

<b>Virus susceptibility</b>	Getah	2
-----------------------------	-------	---

**Reverse transcriptase**

<b>Karyotype</b>	50	2n = 22
------------------	----	---------

<b>Culture Medium</b>	Ham's F12 w 1.0 mM	w 1.0 mM	w 1.1 g/L NaHCO3	Cytion	820600a
-----------------------	--------------------	----------	------------------	--------	---------

**Supplements** 10% FBS

<b>Dissociation Reagent</b>	Accutase
-----------------------------	----------

**Doubling time** 22

<b>Subculturing</b>	PBS	T25	3-5	PBS	T75	5-10	Accutase	T25	1-2	T75	2.5
---------------------	-----	-----	-----	-----	-----	------	----------	-----	-----	-----	-----

**Seeding density**  $1 \times 10^4$  / 6

<b>Fluid renewal</b>	2	3
----------------------	---	---

**Post-Thaw Recovery**  $4$   $5 \times 10$  24

<b>Freeze medium</b>	FBS +10% DMSO	CM-1	Cytion	800100	CM-1	Cytion	800100
----------------------	---------------	------	--------	--------	------	--------	--------

CHO-K1 | 603480

**Thawing and Culturing Cells**

1.				
2.		-150°C		3
3.		37°C	40-60	
4.		70%		
5.		8	15	
6.	300 x g	3		
7.	10		T25	T25
8.				

**Incubation Atmosphere** 37°C, 5% CO<sub>2</sub>

**Flask Coating**

**Freezing Procedure** -78 °C

**Shipping Conditions** -78 °C

**Storage Conditions** -150 -196 ❏ -80 °C

/ /HLA

**Sterility** PCR