# Product sheet

## CFPAC-1 | 305066

| | |
|---|---|
| **Description** | CFPAC-1 26<br>CA19-9 (CEA) (POA) (ACAA) CFPAC-1<br>CFPAC-1 -- CFTR 508 |
| **Organism** | |
| **Tissue** | |
| **Disease** | |
| **Metastatic site** | |
| **Synonyms** | CFPac-1, CF PAC-1, CF-PAC1, CF-Pac1, CF Pac1, CFPAC1, CFPac1, CFPAC |

| | |
|---|---|
| **Age** | 26 |
| **Gender** | |
| **Ethnicity** | |
| **Morphology** | |
| **Growth properties** | |

| | |
|---|---|
| **Citation** | CFPAC-1 Cytion 305066 |
| **Biosafety level** | 1 |
| **NCBI_TaxID** | 9606 |
| **CellosaurusAccession** | CVCL_1119 |

## CFPAC-1 | 305066

| | |
|---|---|
| **Protein expression** | Cea 9 / Poa 28 / Acaa 5000 / Ca 19-9 12000 / |
| **Antigen expression** | CA19-9 12000 / |
| **Tumorigenic** | |

| | |
|---|---|
| **Culture Medium** | IMDM w 4.5 / w 4 L- w 25 HEPES w 1.0 w 3.024 / NaHCO3 Cytion 820800a |
| **Supplements** | 10% FBS |
| **Dissociation Reagent** | Accutase |
| **Subculturing** | PBS T25 3-5 PBS T75 5-10 Accutase T25 1-2 T75 2.5 |
| **Fluid renewal** | 2 3 |
| **Freeze medium** | FBS +10% DMSO CM-1 Cytion 800100 CM-1 Cytion 800100 |

## CFPAC-1 | 305066

| | |
|---|---|
| **Thawing and Culturing Cells** | 1.<br>2. -150°C 3<br>3. 37°C 40-60<br>4. 70%<br>5. 8 15<br>6. 300 x g 3<br>7. 10 T25 T25<br>8. |
| **Incubation Atmosphere** | 37°C, 5% $_{CO2}$, |
| **Flask Coating** | |
| **Freezing Procedure** | -78 °C |
| **Shipping Conditions** | -78 °C |
| **Storage Conditions** | -150 -196 -80 °C |

## / /HLA

| | |
|---|---|
| **Sterility** | PCR |