

EA.hy926 | 305034

Description	EA.hy926	/	EA.hy926	100
	EA.hy926	Weibel-Palade	EA.hy926	
		12		
	EA.hy926	ECE	ECE	
		EA.hy926	ECE	

Organism

Tissue

Synonyms EA. hy 926, EA hy 926, EA-hy926, EAhy 926, EAHY-926, EA.Hy926, EA.hy926, EAhy926, EaHy926, Eahy926

Gender

Morphology

Growth properties

Citation EA.hy926 Cytion 305034

Biosafety level 1

NCBI_TaxID 9606

CellosaurusAccession CVCL_3901

EA.hy926 | 305034

Culture Medium	DMEM w 4.5 / w 4 L- w 3.7 / NaHCO3 w 1.0	Cytion 820300a
-----------------------	--	----------------

Supplements 10% FBS

Dissociation Reagent	Accutase
-----------------------------	----------

Doubling time 12

Subculturing	PBS T25 3-5 PBS T75 5-10	Accutase T25 1-2 T75 2.5
---------------------	--------------------------	--------------------------

Fluid renewal 2 3

Freeze medium	FBS +10% DMSO CM-1 Cytion 800100	CM-1 Cytion 800100
----------------------	----------------------------------	--------------------

Thawing and Culturing Cells

- 1.
2. -150°C 3
3. 37°C 40-60
4. 70%
5. 8 15
6. 300 x g 3
7. 10 T25 T25
- 8.

Incubation Atmosphere	37°C, 5% CO2
------------------------------	--------------

Flask Coating

EA.hy926 | 305034

**Freezing
Procedure**

-78 °C

**Shipping
Conditions**

-78 °C

**Storage
Conditions**

-150 -196 -80 °C

/ /HLA

Sterility

PCR