

NCI-H2452 | 300391

Description	NCI-H2452					NCI-H2452
	NCI-H2452	CAR	CD46		NCI-H2452	5 Ad5
		NCI-H2452		NCI-H2452	PGRN	

Organism

Tissue

Disease

Synonyms NCI-H2452 H-2452 NCIH2452

Age

Gender

Ethnicity

Morphology

Growth properties

Citation NCI-H2452 Cytion 300391

NCBI_TaxID 9606

CellosaurusAccession CVCL_1553

Product sheet



NCI-H2452 | 300391

Culture Medium	RPMI 1640 w 2.0 mM	w 2.0 g/L NaHCO3	Cytion	820700a
-----------------------	--------------------	------------------	--------	---------

Supplements 10% FBS

Dissociation Reagent	Accutase
-----------------------------	----------

Subculturing PBS T25 3-5 PBS T75 5-10 Accutase T25 1-2 T75 2.5

Freeze medium	FBS +10% DMSO	CM-1	Cytion	800100	CM-1	Cytion	800100
----------------------	---------------	------	--------	--------	------	--------	--------

Thawing and Culturing Cells

- 1.
2. -150°C 3
3. 37°C 40-60
4. 70%
5. 8 15
6. 300 x g 3
7. 10 T25 T25
- 8.

Incubation Atmosphere	37°C, 5% CO ₂
------------------------------	--------------------------

Flask Coating

Freezing Procedure	-78 °C
---------------------------	--------

NCI-H2452 | 300391

**Shipping
Conditions**

-78 °C

**Storage
Conditions**

-150 -196 -80 °C

/ /HLA

Sterility

PCR