

WEHI-164 | 400438

Description	WEHI-164	BALB/c	3-	WEHI-164	
	WEHI-164			TNF	TRAIL TNF
	WEHI-164				WEHI-164

Organism

Disease	
----------------	--

Synonyms WEHI 164 WEHI164 WEHI 164 TC

Breed/Subspecies	BALB/c
-------------------------	--------

Morphology

Cell type	
------------------	--

Growth properties

Citation	WEHI-164 Cytion	400438
-----------------	-----------------	--------

Biosafety level 1

NCBI_TaxID	10090
-------------------	-------

CellosaurusAccession CVCL_2251

Tumorigenic	Balb/c
--------------------	--------

Product sheet



WEHI-164 | 400438

Culture Medium	RPMI 1640 w 2.0 mM	w 2.0 g/L NaHCO3	Cytion	820700a
-----------------------	--------------------	------------------	--------	---------

Supplements	10% FBS
--------------------	---------

Dissociation Reagent	Accutase
-----------------------------	----------

Subculturing	PBS	T25	3-5	PBS	T75	5-10	Accutase	T25	1-2	T75	2.5
---------------------	-----	-----	-----	-----	-----	------	----------	-----	-----	-----	-----

Seeding density	1×10^4	/
------------------------	-----------------	---

Fluid renewal	2	3
----------------------	---	---

Post-Thaw Recovery	4	5×10	48
---------------------------	-----	---------------	----

Freeze medium	FBS +10% DMSO	CM-1	Cytion	800100	CM-1	Cytion	800100
----------------------	---------------	------	--------	--------	------	--------	--------

Thawing and Culturing Cells	1.						
	2.		-150°C			3	
	3.		37°C		40-60		
	4.			70%			
	5.		8	15			
	6.	300 x g	3				
	7.	10			T25		T25
	8.						

Incubation Atmosphere	37°C, 5% CO ₂
------------------------------	--------------------------

WEHI-164 | 400438

Flask Coating

**Freezing
Procedure**

-78 °C

**Shipping
Conditions**

-78 °C

**Storage
Conditions**

-150 -196 -80 °C

/ /HLA

Sterility

PCR