

TE-671 | 300355

**Description** TE671

**Organism**

**Tissue**

**Disease**

**Synonyms** TE671 TE 671 TE671/RD

**Age** 7

**Gender**

**Morphology**

**Growth properties**

**Citation** TE-671 Cytion 300355

**Biosafety level** 1

**NCBI\_TaxID** 9606

**CellosaurusAccession** CVCL\_1756

**Receptors expressed**

**Antigen expression** + + - (MNF-116)

TE-671 | 300355

<b>Karyotype</b>	2n=47 42% 48										
<b>Culture Medium</b>	DMEM w 4.5 /	w 4	L-	w 3.7 /	NaHCO3 w 1.0	Cytion	820300a				
<b>Supplements</b>	10% FBS										
<b>Dissociation Reagent</b>	Accutase										
<b>Subculturing</b>		PBS	T25	3-5	PBS T75	5-10	Accutase	T25	1-2	T75	2.5
<b>Seeding density</b>	1 × 10 <sup>4</sup> /										
<b>Fluid renewal</b>	2 3										
<b>Post-Thaw Recovery</b>	4 5 × 10 24										
<b>Freeze medium</b>	50%	+ 40% FBS + 10% DMSO		CM-1	Cytion	800100					

TE-671 | 300355

Thawing and Culturing Cells				
1.				
2.		-150°C		3
3.		37°C	40-60	
4.			70%	
5.		8	15	
6.	300 x g	3		
7.	10		T25	T25
8.				

**Incubation Atmosphere** 37°C, 5% CO<sub>2</sub>

**Flask Coating**

**Freezing Procedure** -78 °C

**Shipping Conditions** -78 °C

**Storage Conditions** -150 -196 ❏ -80 °C

/ /HLA

**Sterility** PCR