

RH-35 | 305210

<b>Description</b>	H4-II-E	RH-35	Reuber H-35	ACI	N-2-	ACI	H4-II-E
	H4-II-E				H4-II-E		H4-II-E

**Organism**

**Tissue**

**Disease**

<b>Synonyms</b>	H4II H-35tc2 Reuber-H-35 tc2 H35 tc2	2 Reuber H-35tc2 Reuber H35 tc2 H-35 Reuber tc2 H35 Reuber tc2 RH-35 tc2 RH35 tc2
-----------------	---	---

<b>Breed/Subspecies</b>	AxC
-------------------------	-----

**Gender**

**Morphology**

**Growth properties**

<b>Citation</b>	RH-35 Cytion 305210
-----------------	---------------------

<b>Biosafety level</b>	1
------------------------	---

<b>NCBI_TaxID</b>	10116
-------------------	-------

<b>CellosaurusAccession</b>	CVCL_4623
-----------------------------	-----------

# Product sheet



**RH-35 | 305210**

<b>Culture Medium</b>	Ham's F12 w 1.0 mM	w 1.0 mM	w 1.1 g/L NaHCO3	Cytion	820600a
-----------------------	--------------------	----------	------------------	--------	---------

**Supplements** 10% FBS

<b>Dissociation Reagent</b>	Accutase
-----------------------------	----------

**Subculturing** PBS T25 3-5 PBS T75 5-10 Accutase T25 1-2 T75 2.5

<b>Split ratio</b>	1:2 1:4
--------------------	---------

**Fluid renewal** 2 3

<b>Freeze medium</b>	FBS +10% DMSO	CM-1 Cytion	800100	CM-1 Cytion	800100
----------------------	---------------	-------------	--------	-------------	--------

**Thawing and Culturing Cells**

- 1.
2. -150°C 3
3. 37°C 40-60
4. 70%
5. 8 15
6. 300 x g 3
7. 10 T25 T25
- 8.

<b>Incubation Atmosphere</b>	37°C, 5% CO2
------------------------------	--------------

**Flask Coating**

RH-35 | 305210

**Freezing  
Procedure**

-78 °C

**Shipping  
Conditions**

-78 °C

**Storage  
Conditions**

-150 -196 -80 °C

/ /HLA

**Sterility**

PCR