

RH-35 | 305210

Description	H4-II-E	RH-35	Reuber H-35	ACI	N-2-	ACI	H4-II-E
	H4-II-E				H4-II-E		H4-II-E

Organism

Tissue

Disease

Synonyms	H4II H-35tc2 Reuber-H-35 tc2 H35 tc2	2 Reuber H-35tc2 Reuber H35 tc2 H-35 Reuber tc2 H35 Reuber tc2 RH-35 tc2 RH35 tc2
-----------------	---	---

Breed/Subspecies	AxC
-------------------------	-----

Gender

Morphology

Growth properties

Citation	RH-35 Cytion 305210
-----------------	---------------------

Biosafety level	1
------------------------	---

NCBI_TaxID	10116
-------------------	-------

CellosaurusAccession	CVCL_4623
-----------------------------	-----------

Product sheet



RH-35 | 305210

Culture Medium	Ham's F12 w 1.0 mM	w 1.0 mM	w 1.1 g/L NaHCO3	Cytion	820600a
-----------------------	--------------------	----------	------------------	--------	---------

Supplements 10% FBS

Dissociation Reagent	Accutase
-----------------------------	----------

Subculturing PBS T25 3-5 PBS T75 5-10 Accutase T25 1-2 T75 2.5

Split ratio	1:2 1:4
--------------------	---------

Fluid renewal 2 3

Freeze medium	FBS +10% DMSO	CM-1 Cytion	800100	CM-1 Cytion	800100
----------------------	---------------	-------------	--------	-------------	--------

Thawing and Culturing Cells

- 1.
2. -150°C 3
3. 37°C 40-60
4. 70%
5. 8 15
6. 300 x g 3
7. 10 T25 T25
- 8.

Incubation Atmosphere	37°C, 5% CO2
------------------------------	--------------

Flask Coating

RH-35 | 305210

**Freezing
Procedure**

-78 °C

**Shipping
Conditions**

-78 °C

**Storage
Conditions**

-150 -196 -80 °C

/ **/HLA**

Sterility

PCR