

LLC1 LL-2 | 305311

<b>Description</b>	LLC1 LL-2	--	LLC	C57BL/6	LLC1 LL-2
	LLC1 LL-2	-			
	LLC1 LL-2				LLC1 LL-2

**Organism**

<b>Tissue</b>	
---------------	--

**Disease**

<b>Synonyms</b>	LL/2 (LLC1) LL/2 (LLc1) LL/2(LLc1) LL/2 LL2 LLC1 LLC	1
-----------------	--	---

<b>Breed/Subspecies</b>	C57BL/6
-------------------------	---------

**Growth properties**

<b>Citation</b>	LLC1 LL-2 Cytion 305311
-----------------	-------------------------

**Biosafety level** 1

<b>NCBI_TaxID</b>	10090
-------------------	-------

**CellosaurusAccession** CVCL\_4358

<b>Antigen expression</b>	H-2b
---------------------------	------

**Tumorigenic** C57BL

**Product sheet**



**LLC1 LL-2 | 305311**

<b>Viruses</b>	MAP B.piliformis	Ektromelia	K-	Kilham	Reo 3	PVM	LCM	M.pulmonis	MVM	Theiler's	GD VII	Toolan's H-1	MHV	LD
<b>Culture Medium</b>	DMEM w 4.5 /	w 4	L-	w 3.7 /	NaHCO3	w 1.0		Cytion	820300a					
<b>Supplements</b>	10% FBS													
<b>Dissociation Reagent</b>	Accutase													
<b>Doubling time</b>	21													
<b>Subculturing</b>	15		PBS	T25	3-5	T75	5-10		Accutase	T25	1-2	T75	2.5	
<b>Seeding density</b>	1 $2 \times 10^4$ /													
<b>Fluid renewal</b>	2 3													
<b>Post-Thaw Recovery</b>	<sup>4</sup>	$5 \times 10$											24	
<b>Freeze medium</b>		FBS +10% DMSO	CM-1	Cytion		800100				CM-1	Cytion		800100	

LLC1 LL-2 | 305311

**Thawing and  
Culturing Cells**

- 1.
2. -150°C 3
3. 37°C 40-60
4. 70%
5. 8 15
6. 300 x g 3
7. 10 T25 T25
- 8.

**Incubation  
Atmosphere**

37°C, 5% CO<sub>2</sub>

**Flask Coating**

**Freezing  
Procedure**

-78 °C

**Shipping  
Conditions**

-78 °C

**Storage  
Conditions**

-150 -196 -80 °C

/ /HLA

**Sterility**

PCR