

RenCa-IL2 | 400322

Description	RenCa-IL2	RenCa	-2	IL-2	IL-2	IL-2
	RenCa	Balb/c			IL-2	RenCa
	RenCa-IL2			IL-2		RenCa-IL2

Organism	
Tissue	

Disease	
Synonyms	RENCA-IL-2

Breed/Subspecies	BALB/c
-------------------------	--------

Age	6
Gender	

Morphology	
Growth properties	

Citation	RenCa-IL2	Cytion	400322
-----------------	-----------	--------	--------

Biosafety level	1
NCBI_TaxID	10090

CellosaurusAccession	CVCL_5944
-----------------------------	-----------

GMO Status	GMO-S1	-2	-2	IL-2
-------------------	--------	----	----	------

RenCa-IL2 | 400322

Tumorigenic

Products IL-2

Culture Medium RPMI 1640 w 2.0 mM w 2.0 g/L NaHCO3 Cytion 820700a

Supplements 10% FBS

Dissociation Reagent Accutase

Subculturing PBS T25 3-5 PBS T75 5-10 Accutase T25 1-2 T75 2.5

Split ratio 1:4 1:8

Fluid renewal 2 3

Freeze medium FBS +10% DMSO CM-1 Cytion 800100 CM-1 Cytion 800100

RenCa-IL2 | 400322

**Thawing and
Culturing Cells**

- 1.
2. -150°C 3
3. 37°C 40-60
4. 70%
5. 8 15
6. 300 x g 3
7. 10 T25 T25
- 8.

**Incubation
Atmosphere**

37°C, 5% CO₂

Flask Coating

**Freezing
Procedure**

-78 °C

**Shipping
Conditions**

-78 °C

**Storage
Conditions**

-150 -196 -80 °C

/ /HLA

Sterility

PCR

STR

Amelogenin: x,y