

KLN-205 | 400419

Description	KLN-205	KLN-205	(NSCLC)
	KLN-205		

Organism

Tissue

Disease

Synonyms	KLN 205, KLN205
-----------------	-----------------

Breed/Subspecies	DBA/2
-------------------------	-------

Growth properties

Citation	KLN-205 Cytion 400419
-----------------	-----------------------

Biosafety level	1
------------------------	---

NCBI_TaxID	10090
-------------------	-------

CellosaurusAccession	CVCL_3533
-----------------------------	-----------

Tumorigenic	DBA/2 BDF1
--------------------	------------

Culture Medium	EMEM MEM Eagle w 2 mM L- w 2.2 g/L NaHCO3 w EBSS Cytion 820100a
-----------------------	---

KLN-205 | 400419

Supplements	10% FBS 1% NEAA										
Dissociation Reagent	Accutase										
Subculturing	PBS	T25	3-5	PBS T75	5-10	TrypLE Express	T25	1-2	T75		
Fluid renewal	2 3										
Post-Thaw Recovery	4 5x10 24										
Freeze medium	FBS +10% DMSO CM-1 Cytion 800100 CM-1 Cytion 800100										
Thawing and Culturing Cells	<ol style="list-style-type: none"> 1. 2. -150°C 3 3. 37°C 40-60 4. 70% 5. 8 15 6. 300 x g 3 7. 10 T25 T25 8. 										
Incubation Atmosphere	37°C, 5% CO ₂										
Flask Coating											
Freezing Procedure	-78 °C										

KLN-205 | 400419

**Shipping
Conditions**

-78 °C

**Storage
Conditions**

-150 -196 -80 °C

/ /HLA

Sterility

PCR