

HROG12 T0 M1 | 300882

Description					
HROG12 T0 M1		GBM	WHO IV	"T0"	"M1"
HROG12 T0 M1					GFAP
HROG12 T0 M1		HROG			

Organism

Tissue

Disease

Ethnicity

Growth properties

Citation			
HROG12 T0 M1	Cytion	300882	

Biosafety level 1

NCBI_TaxID	
9606	

CellosaurusAccession CVCL_B7FR

Culture Medium							
DMEM:Ham's F12	1:1	w: 3.1 g/L	w: 2.5 mM L-	w: 15 mM HEPES	w: 0.5 mM	w: 1.2 g/L NaHCO3	Cytion 8

Supplements 10% FBS

HROG12 T0 M1 | 300882

Dissociation Reagent	Accutase
-----------------------------	----------

Subculturing	PBS	T25	3-5	PBS	T75	5-10	Accutase	T25	1-2	T75	2.5
---------------------	-----	-----	-----	-----	-----	------	----------	-----	-----	-----	-----

Freeze medium	50%	+ 40% FBS + 10% DMSO	CM-1	Cytion	800100
----------------------	-----	----------------------	------	--------	--------

Thawing and Culturing Cells	1.										
	2.		-150°C					3			
	3.		37°C			40-60					
	4.			70%							
	5.		8	15							
	6.	300 x g	3								
	7.	10			T25			T25			
	8.										

Incubation Atmosphere	37°C, 5% CO ₂
------------------------------	--------------------------

Flask Coating	
----------------------	--

Freezing Procedure	-78 °C
---------------------------	--------

Shipping Conditions	-78 °C
----------------------------	--------

Storage Conditions	-150 -196 -80 °C
---------------------------	------------------

Product sheet

HROG12 T0 M1 | 300882

/ /HLA

Sterility	PCR
------------------	-----