

**HK EGFP-Cap-D2 | 300675**

<b>Description</b>	HK EGFP-Cap-D2	HeLa Kyoto	D2	C	EGFP
				EGFP D2	

**Organism**

**Tissue**

**Disease**

<b>Synonyms</b>	HeLa Kyoto EGFP CAP-D2	HeLa Kyoto Cap-D2 EGFP
-----------------	------------------------	------------------------

<b>Age</b>	30
------------	----

**Gender**

**Ethnicity**

**Morphology**

**Growth properties**

<b>Citation</b>	HK EGFP-Cap-D2 Cytion	300675
-----------------	-----------------------	--------

<b>Biosafety level</b>	1
------------------------	---

<b>NCBI_TaxID</b>	9606
-------------------	------

<b>CellosaurusAccession</b>	CVCL_1D60
-----------------------------	-----------

<b>Depositor</b>	EMBL
------------------	------

<b>GMO Status</b>	GMO-S1	HeLa	EGFP-Cap-D2	II
-------------------	--------	------	-------------	----

**HK EGFP-Cap-D2 | 300675**

**Protein expression** EGFP-CAP-D2 80% / 1...589 / Pcmv, 619...645 / Flag-tag, 646...660, 1375...1389/null, 661...1374 / EGFP, 1435...5638/CAP-D2, 6886...7680/KanR/NeoR

**Products** CMV FLAG

**Culture Medium** DMEM w 4.5 / w 4 L- w 3.7 / NaHCO3 w 1.0 Cytion 820300a

**Supplements** 10% FBS

**Dissociation Reagent** Accutase

**Subculturing** PBS T25 3-5 PBS T75 5-10 Accutase T25 1-2 T75 2.5

**Seeding density**  $1 \times 10^4$  /

**Fluid renewal** 2 3

**Post-Thaw Recovery**  $4$   $5 \times 10$  24

**Freeze medium** FBS +10% DMSO CM-1 Cytion 800100 CM-1 Cytion 800100

**HK EGFP-Cap-D2 | 300675**

Thawing and Culturing Cells				
1.				
2.		-150°C		3
3.		37°C	40-60	
4.			70%	
5.		8	15	
6.	300 x g	3		
7.	10		T25	T25
8.				

**Incubation Atmosphere** 37°C, 5% CO<sub>2</sub>

**Flask Coating**

**Freezing Procedure** -78 °C

**Shipping Conditions** -78 °C

**Storage Conditions** -150 -196 -80 °C

/ /HLA

**Sterility** PCR