

NCI-H226 | 305091

<b>Description</b>	NCI-H226	NSCLC	NSCLC	NCI-H226
	NCI-H226			
	NCI-H226	NCI-60		

**Organism**

<b>Tissue</b>
---------------

**Disease**

<b>Synonyms</b>	NCI-H226 NCI.H226 NCI H226 H-226 HUT-226 HUT 226 NCIH226
-----------------	--

<b>Gender</b>
---------------

**Ethnicity**

<b>Morphology</b>
-------------------

**Growth properties**

<b>Citation</b>	NCI-H226 Cytion 305091
-----------------	------------------------

**Biosafety level** 1

<b>NCBI_TaxID</b>	9606
-------------------	------

**CellSaurusAccession** CVCL\_1544

# Product sheet



NCI-H226 | 305091

<b>Culture Medium</b>	RPMI 1640 w 2.0 mM	w 2.0 g/L NaHCO3	Cytion	820700a
-----------------------	--------------------	------------------	--------	---------

**Supplements** 10% FBS

<b>Dissociation Reagent</b>	Accutase
-----------------------------	----------

**Subculturing** PBS T25 3-5 PBS T75 5-10 Accutase T25 1-2 T75 2.5

<b>Split ratio</b>	1:2 1:4
--------------------	---------

**Fluid renewal** 2 3

<b>Freeze medium</b>	FBS +10% DMSO	CM-1 Cytion	800100	CM-1 Cytion	800100
----------------------	---------------	-------------	--------	-------------	--------

**Thawing and Culturing Cells**

- 1.
2. -150°C 3
3. 37°C 40-60
4. 70%
5. 8 15
6. 300 x g 3
7. 10 T25 T25
- 8.

<b>Incubation Atmosphere</b>	37°C, 5% CO2
------------------------------	--------------

**Flask Coating**

NCI-H226 | 305091

**Freezing  
Procedure**

-78 °C

**Shipping  
Conditions**

-78 °C

**Storage  
Conditions**

-150 -196 -80 °C

/ /HLA

**Sterility**

PCR