

NCI-H226 | 305091

Description	NCI-H226	NSCLC	NSCLC	NCI-H226
	NCI-H226			
	NCI-H226	NCI-60		

Organism

Tissue

Disease

Synonyms	NCI-H226 NCI.H226 NCI H226 H-226 HUT-226 HUT 226 NCIH226
-----------------	--

Gender

Ethnicity

Morphology

Growth properties

Citation	NCI-H226 Cytion 305091
-----------------	------------------------

Biosafety level 1

NCBI_TaxID	9606
-------------------	------

CellSaurusAccession CVCL_1544

Product sheet



NCI-H226 | 305091

Culture Medium	RPMI 1640 w 2.0 mM	w 2.0 g/L NaHCO3	Cytion	820700a
-----------------------	--------------------	------------------	--------	---------

Supplements	10% FBS
--------------------	---------

Dissociation Reagent	Accutase
-----------------------------	----------

Subculturing	PBS	T25	3-5	PBS	T75	5-10	Accutase	T25	1-2	T75	2.5
---------------------	-----	-----	-----	-----	-----	------	----------	-----	-----	-----	-----

Split ratio	1:2	1:4
--------------------	-----	-----

Fluid renewal	2	3
----------------------	---	---

Freeze medium	FBS +10% DMSO	CM-1	Cytion	800100	CM-1	Cytion	800100
----------------------	---------------	------	--------	--------	------	--------	--------

Thawing and Culturing Cells	1.										
	2.		-150°C				3				
	3.		37°C			40-60					
	4.			70%							
	5.		8	15							
	6.	300 x g	3								
	7.	10			T25			T25			
	8.										

Incubation Atmosphere	37°C, 5% CO2
------------------------------	--------------

Flask Coating	
----------------------	--

NCI-H226 | 305091

Freezing Procedure -78 °C

Shipping Conditions -78 °C

Storage Conditions -150 -196 -80 °C

/ /HLA

Sterility PCR