Product sheet

LM/TK(LMTK-) | 305176

Description	LM/TK- LMTK- TK DNA TK
Organism	
Tissue	
Synonyms	L-M[TK-], LM TK negative, L-M (TK-), L M (TK-), LM(TK-), LM(tk-), LM-TK-, LMTK-, L cells (TK-), L(TK-), L(tk-)

Breed/Subspecies	C3H/An
Age	100
Gender	
Morphology	
Growth properties	

Citation	LM/TK LMTK- Cytion 305176
Biosafety level	1
NCBI_TaxID	10090
CellosaurusAccession	CVCL_4536

Antigen expression	H-2k
Tumorigenic	1×10^7 21 100% 5/5

Product sheet

LM/TK(LMTK-) | 305176

Culture Medium	DMEM w 4.5 / w 4 L- w 3.7 / NaHCO3 w 1.0 Cytion 820300a
Supplements	10% FBS
Dissociation Reagent	Accutase
Subculturing	PBS T25 3-5 PBS T75 5-10 Accutase T25 1-2 T75 2.5
Fluid renewal	2
Freeze medium	FBS +10% DMSO CM-1 Cytion 800100 CM-1 Cytion 800100
Thawing and Culturing Cells	1. 2. -150°C 3 3. 37°C 40-60 4. 70% 5. 8 15 6. 300 x g 3 7. 10 T25 T25 8.
Incubation Atmosphere	37°C, 5% $_{CO2}$,
Flask Coating	

LM/TK(LMTK-) | 305176

Freezing Procedure	-78 °C
Shipping Conditions	-78 °C
Storage Conditions	-150 -196 -80 °C

/ /HLA

Sterility	PCR