

P3X63Ag8.653 | 400118

Description 8- HAT 3-

Organism

Tissue

Disease

Synonyms P3-x63-Ag8.653, P3-x63-Ag8-653, P3-x63-Ag8 653, P3-x63-Ag 8.653, P3-x63Ag8.653, P3-x63.Ag8.653, P3/x63/Ag8.653, P3x63 Ag8.653 P3x63 AG8-653 P3x63-Ag8.653 P3x63-Ag8.653 P3x63 AG 8.653 P3x63Ag8653 P3-x63-Ag8-6-5-3 P3x63Ag8-6-5-3 P3.times.63Ag8.653 P3.653 x63-Ag 8.6.5.3 x63-AG 8.653 x63-Ag8-653 x63-Ag8.653 x63.Ag8-653 x63Ag8.653 x63AG8.653 P3-653 GM03570 GM3570 GM03570E NS653

Breed/Subspecies BALB/c

Gender

Morphology

Growth properties /

Citation P3x63Ag8.653 Cytion 400118

Biosafety level 1

NCBI_TaxID 10090

CellosaurusAccession CVCL_4032

Viruses

P3X63Ag8.653 | 400118

| | | | | |
|-----------------------|--------------------|------------------|--------|---------|
| Culture Medium | RPMI 1640 w 2.0 mM | w 2.0 g/L NaHCO3 | Cytion | 820700a |
|-----------------------|--------------------|------------------|--------|---------|

| | |
|--------------------|---------|
| Supplements | 10% FBS |
|--------------------|---------|

| | |
|-----------------------------|----------|
| Dissociation Reagent | Accutase |
|-----------------------------|----------|

| | | | | | | | | | | | |
|---------------------|----|-----|-----|-----|-----|------|----------|-----|-----|-----|-----|
| Subculturing | 15 | PBS | T25 | 3-5 | T75 | 5-10 | Accutase | T25 | 1-2 | T75 | 2.5 |
|---------------------|----|-----|-----|-----|-----|------|----------|-----|-----|-----|-----|

| | | |
|------------------------|-------------------------|-----------------|
| Seeding density | 4×10^5 / 6 / | 2×10^6 |
|------------------------|-------------------------|-----------------|

| | | |
|----------------------|---|---|
| Fluid renewal | 3 | 4 |
|----------------------|---|---|

| | | |
|---------------------------|-----------------------|----|
| Post-Thaw Recovery | 4 / 5×10^6 | 48 |
|---------------------------|-----------------------|----|

| | | | | | | | |
|----------------------|---------------|------|--------|--------|------|--------|--------|
| Freeze medium | FBS +10% DMSO | CM-1 | Cytion | 800100 | CM-1 | Cytion | 800100 |
|----------------------|---------------|------|--------|--------|------|--------|--------|

| | | | | | | |
|------------------------------------|----|---------|-----|-------|---|-----|
| Thawing and Culturing Cells | 1. | | | | | |
| | 2. | -150°C | | | 3 | |
| | 3. | 37°C | | 40-60 | | |
| | 4. | | 70% | | | |
| | 5. | | 8 | 15 | | |
| | 6. | 300 x g | 3 | | | |
| | 7. | 10 | | T25 | | T25 |
| | 8. | | | | | |

P3X63Ag8.653 | 400118

**Incubation
Atmosphere** 37°C, 5% CO₂

Flask Coating

**Freezing
Procedure** -78 °C

**Shipping
Conditions** -78 °C

**Storage
Conditions** -150 -196 -80 °C

/ **/HLA**

Sterility PCR