Product sheet

C3H/10T1/2 | 305164

Description	C3H/10T1/2 8 C3H C3H/10T1/2 C3H/10T1/2 8 C3H/10T
Organism	
Tissue	
Synonyms	C3H/10T1/2 8 C3H/10T1/2-clone8 C3H/10T1/2 CL8 C3H10T1/2 8 C3H10T1/2CL8 10T1/2 clone8 10T1/2 C3H10T1-2 C3H10T1/2 C3H-10T1/2 C3H 10T1/2 C3H/10T1/2
Breed/Subspecies	C3H
Age	
Morphology	
Growth properties	
Citation	C3H/10T1/2 8 Cytion 305164
Biosafety level	1
NCBI_TaxID	10090
CellosaurusAccession	CVCL_0190
Tumorigenic	

Product sheet

C3H/10T1/2 | 305164

Culture Medium	BME w: 4.5 g/L w: 4 mM L- w: 1.5 g/L NaHCO3 w: 1.0 mM BME
Supplements	10% FBS
Dissociation Reagent	Accutase
Subculturing	PBS T25 3-5 PBS T75 5-10 Accutase T25 1-2 T75 2.5
Fluid renewal	2 3
Freeze medium	FBS +10% DMSO CM-1 Cytion 800100 CM-1 Cytion 800100
Thawing and Culturing Cells	1. 2. -150°C 3 3. 37°C 40-60 4. 70% 5. 8 15 6. 300 x g 3 7. 10 T25 T25 8.
Incubation Atmosphere	37°C, 5% $_{CO2}$,
Flask Coating	
Freezing Procedure	-78 °C

C3H/10T1/2 | 305164

Shipping Conditions	-78 °C
Storage Conditions	-150 -196 -80 °C

/ /HLA

Sterility	PCR