

HCC827 | 305041

Description	HCC827	EGFR	HCC827	TKIs
			HCC827	

Organism

Tissue

Disease

Synonyms	HCC-827 HCC 827 HCC0827
-----------------	-------------------------

Age	39
------------	----

Gender

Morphology

Growth properties

Citation	HCC827 Cytion 305041
-----------------	----------------------

Biosafety level 1

NCBI_TaxID	9606
-------------------	------

CellosaurusAccession CVCL_2063

HCC827 | 305041

Culture Medium	RPMI 1640 w 2.0 mM	w 2.0 g/L NaHCO3	Cytion	820700a
-----------------------	--------------------	------------------	--------	---------

Supplements	10% FBS
--------------------	---------

Dissociation Reagent	Accutase
-----------------------------	----------

Subculturing	PBS	T25	3-5	PBS	T75	5-10	Accutase	T25	1-2	T75	2.5
---------------------	-----	-----	-----	-----	-----	------	----------	-----	-----	-----	-----

Fluid renewal	2	3
----------------------	---	---

Freeze medium	FBS +10% DMSO	CM-1	Cytion	800100	CM-1	Cytion	800100
----------------------	---------------	------	--------	--------	------	--------	--------

Thawing and Culturing Cells	1.										
	2.		-150°C					3			
	3.		37°C			40-60					
	4.			70%							
	5.			8	15						
	6.	300 x g	3								
	7.	10				T25		T25			
	8.										

Incubation Atmosphere	37°C, 5% CO ₂
------------------------------	--------------------------

Flask Coating	
----------------------	--

Freezing Procedure	-78 °C
---------------------------	--------

HCC827 | 305041

**Shipping
Conditions**

-78 °C

**Storage
Conditions**

-150 -196 -80 °C

/ /HLA

Sterility

PCR