

PC-3M | 305061

Culture Medium	Ham's F12K	w 2.0 mM L-	w 2.0 mM	w 2.5 g/L NaHCO3	Cytion	820608a
-----------------------	------------	-------------	----------	------------------	--------	---------

Supplements 10% FBS

Dissociation Reagent	Accutase
-----------------------------	----------

Subculturing PBS T25 3-5 PBS T75 5-10 Accutase T25 1-2 T75 2.5

Split ratio	1:2 1:4
--------------------	---------

Fluid renewal 2 3

Freeze medium	FBS +10% DMSO	CM-1 Cytion	800100	CM-1 Cytion	800100
----------------------	---------------	-------------	--------	-------------	--------

Thawing and Culturing Cells

- 1.
2. -150°C 3
3. 37°C 40-60
4. 70%
5. 8 15
6. 300 x g 3
7. 10 T25 T25
- 8.

Incubation Atmosphere	37°C, 5% CO ₂
------------------------------	--------------------------

Flask Coating

PC-3M | 305061

Freezing Procedure -78 °C

Shipping Conditions -78 °C

Storage Conditions -150 -196 -80 °C

/ /HLA

Sterility PCR

- STR**
- Amelogenin:** x,x
 - CSF1PO:** 11
 - D13S317:** 11
 - D16S539:** 11
 - D5S818:** 13
 - D7S820:** 8,11
 - TH01:** 6,7
 - TPOX:** 8,9
 - vWA:** 17
 - D3S1358:** 16
 - D21S11:** 29,31.2
 - D18S51:** 14,15
 - Penta E:** 10,17
 - Penta D:** 9
 - D8S1179:** 13
 - FGA:** 24
 - D6S1043:** 14,18
 - D2S1338:** 18,2
 - D12S391:** 21
 - D19S433:** 14