

**HK EGFP-LaminB1/H2B-mCherry | 300919**

<b>Description</b>	HK EGFP-LaminB1/H2B-mCherry	HeLa	EGFP
	mCherry H2B	DNA	DNA H2B mCherry
<b>Organism</b>			
<b>Tissue</b>			
<b>Disease</b>			
<b>Synonyms</b>	HeLa Kyoto EGFP-LaminB1 H2B-mCherry		
<b>Age</b>	30		
<b>Gender</b>			
<b>Ethnicity</b>			
<b>Morphology</b>			
<b>Growth properties</b>			
<b>Citation</b>	HK EGFP-LaminB1/H2B-mCherry Cytion 300919		
<b>Biosafety level</b>	1		
<b>NCBI_TaxID</b>	9606		
<b>CellosaurusAccession</b>	CVCL_UR41		
<b>Depositor</b>	EMBL		
<b>GMO Status</b>	GMO-S1 HeLa EGFP- B1 H2B-mCherry		

**HK EGFP-LaminB1/H2B-mCherry | 300919**

<b>Protein expression</b>	EGFP-LaminB1/H2B-mCherry											
<b>Products</b>	H2B											
<b>Culture Medium</b>	DMEM w 4.5 /	w 4	L-	w 3.7 /	NaHCO3 w 1.0	Cytion	820300a					
<b>Supplements</b>	10% FBS											
<b>Dissociation Reagent</b>	Accutase											
<b>Subculturing</b>		PBS	T25	3-5	PBS	T75	5-10	Accutase	T25	1-2	T75	2.5
<b>Seeding density</b>	1 × 10 <sup>4</sup> /											
<b>Fluid renewal</b>	2 3											
<b>Post-Thaw Recovery</b>	4			5 × 10			24					
<b>Freeze medium</b>	FBS +10% DMSO			CM-1 Cytion			800100			CM-1 Cytion 800100		

**HK EGFP-LaminB1/H2B-mCherry | 300919**

Thawing and Culturing Cells				
1.				
2.		-150°C		3
3.		37°C	40-60	
4.			70%	
5.		8	15	
6.	300 x g	3		
7.	10		T25	T25
8.				

**Incubation Atmosphere** 37°C, 5% CO<sub>2</sub>

**Flask Coating**

**Freezing Procedure** -78 °C

**Shipping Conditions** -78 °C

**Storage Conditions** -150 -196 -80 °C

/ /HLA

**Sterility** PCR