

SNU-182 | 305119

Description	SNU-182	HCC		
	SNU-182		AFP	HCC

Organism

Tissue

Disease

Synonyms	SNU182 NCI-SNU-182
-----------------	--------------------

Age	24
------------	----

Gender

Ethnicity

Morphology

Growth properties

Citation	SNU-182 Cytion 305119
-----------------	-----------------------

Biosafety level	1
------------------------	---

NCBI_TaxID	9606
-------------------	------

CellosaurusAccession	CVCL_0090
-----------------------------	-----------

SNU-182 | 305119

Culture Medium	RPMI 1640 w 2.0 mM	w 2.0 g/L NaHCO3	Cytion	820700a
-----------------------	--------------------	------------------	--------	---------

Supplements	10% FBS
--------------------	---------

Dissociation Reagent	Accutase
-----------------------------	----------

Doubling time	46
----------------------	----

Subculturing	PBS	T25	3-5	PBS	T75	5-10	Accutase	T25	1-2	T75	2.5
---------------------	-----	-----	-----	-----	-----	------	----------	-----	-----	-----	-----

Split ratio	1:3	1:6
--------------------	-----	-----

Fluid renewal	2	3
----------------------	---	---

Freeze medium	FBS +10% DMSO	CM-1	Cytion	800100	CM-1	Cytion	800100
----------------------	---------------	------	--------	--------	------	--------	--------

Thawing and Culturing Cells	1.						
	2.		-150°C			3	
	3.		37°C		40-60		
	4.			70%			
	5.		8	15			
	6.	300 x g	3				
	7.	10			T25		T25
	8.						

Incubation Atmosphere	37°C, 5% CO2
------------------------------	--------------

SNU-182 | 305119

Flask Coating

**Freezing
Procedure**

-78 °C

**Shipping
Conditions**

-78 °C

**Storage
Conditions**

-150 -196 -80 °C

/ /HLA

Sterility

PCR