

SW-403 | 300350

<b>Description</b>	SW-403	SW-403	SW-403	SW-403
	SW-403	SW-403	DNA	
	SW-403			

**Organism**

**Tissue**

**Disease**

**Synonyms** SW403, SW 403

**Age** 51

**Gender**

**Ethnicity**

**Morphology**

**Growth properties**

**Citation** SW-403 Cytion 300350

**Biosafety level** 1

**NCBI\_TaxID** 9606

**CellosaurusAccession** CVCL\_0545

SW-403 | 300350

<b>Antigen expression</b>	3	CSAp	CSAp-
---------------------------	---	------	-------

**Isoenzymes** G6PD B PGM1 1 PGM3 1-2 6PGD A ES-D 1 PEP-D 1

<b>Tumorigenic</b>	
--------------------	--

**Reverse transcriptase**

<b>Products</b>	(CEA) 155 /10 exp6 /10
-----------------	------------------------

**Mutational profile** SW-403 12 Kras GGT>GTT

<b>Culture Medium</b>	Ham's F12 w 1.0 mM	w 1.0 mM	w 1.1 g/L NaHCO3 Cytion	820600a
-----------------------	--------------------	----------	-------------------------	---------

**Supplements** 10% FBS

<b>Dissociation Reagent</b>	Accutase
-----------------------------	----------

**Subculturing** PBS T25 3-5 PBS T75 5-10 Accutase T25 1-2 T75 2.5

<b>Fluid renewal</b>	1 2
----------------------	-----

**Freeze medium** FBS +10% DMSO CM-1 Cytion 800100 CM-1 Cytion 800100

SW-403 | 300350

Thawing and Culturing Cells				
1.				
2.		-150°C		3
3.		37°C	40-60	
4.			70%	
5.		8	15	
6.	300 x g	3		
7.	10		T25	T25
8.				

**Incubation Atmosphere** 37°C, 5% CO<sub>2</sub>

**Flask Coating**

**Freezing Procedure** -78 °C

**Shipping Conditions** -78 °C

**Storage Conditions** -150 -196 -80 °C

/ /HLA

**Sterility** PCR

SW-403 | 300350

---

**HLA**

**A\***: '02:05:01, '03:01:01

**B\***: '07:02:01, '49:01:01

**C\***: '07:01:01, '07:02:01

**DRB1\***: '04:01:01, '04:05:01

**DQA1\***: '03:03:01

**DQB1\***: '03:01:01, '03:02:01

**DPB1\***: '04:01:01

**E**: '01:03:02, '01:03:05