Product sheet

HK Mad2-LAP/H2B-mCherry | 300920

Description	HK Mad2-LAP/H2B-mCherry HeLa Kyoto H2B-mCherry H2B mCherry HK Mad2-LAP/H2B-mCherry
Organism	
Tissue	
Disease	
Synonyms	HeLa Kyoto Mad2-LAP H2B-mCherry, HeLa Kyoto Mad2-LAP

Age	30
Gender	
Ethnicity	
Morphology	
Growth properties	

Citation	HK Mad2-LAP/H2B-mCherry Cytion 300920
Biosafety level	1
NCBI_TaxID	9606
CellosaurusAccession	CVCL_1D65
Depositor	EMBL
GMO Status	GMO-S1 HeLa Mad2-LAP H2B-mCherry

HK Mad2-LAP/H2B-mCherry | 300920

Protein expression	Mad2-LAP/H2B-mCherry
Culture Medium	DMEM w 4.5 / w 4 L- w 3.7 / NaHCO3 w 1.0 Cytion 820300a
Supplements	10% FBS
Dissociation Reagent	Accutase
Subculturing	PBS T25 3-5 PBS T75 5-10 Accutase T25 1-2 T75 2.5
Seeding density	1×10^4 /
Fluid renewal	2 3
Post-Thaw Recovery	^{4} /5×10 24
Freeze medium	FBS +10% DMSO CM-1 Cytion 800100 CM-1 Cytion 800100

HK Mad2-LAP/H2B-mCherry | 300920

Thawing and Culturing Cells	1. 2. -150°C 3 3. 37°C 40-60 4. 70% 5. 8 15 6. 300 x g 3 7. 10 T25 T25 8.
Incubation Atmosphere	37°C, 5% $_{CO2}$,
Flask Coating	
Freezing Procedure	-78 °C
Shipping Conditions	-78 °C
Storage Conditions	-150 -196 -80 °C

/ /HLA

Sterility	PCR