

FS-C3H | 400418

<b>Description</b>	FS-C3H	C3H/HeJ				LPS
	FS-C3H	LPS	LPS		LPS	C PKC
	FS-C3H		LPS	Lpsn		LPS

**Organism**

<b>Tissue</b>
---------------

**Disease**

<b>Breed/Subspecies</b>	C3H
-------------------------	-----

**Growth properties**

<b>Citation</b>	FS-C3H Cytion	400418
-----------------	---------------	--------

**Biosafety level** 1

<b>NCBI_TaxID</b>	10090
-------------------	-------

**CellosaurusAccession** CVCL\_5755

<b>Culture Medium</b>	DMEM w 4.5 / w 4 L- w 3.7 / NaHCO3 w 1.0	Cytion 820300a
-----------------------	--	----------------

**Supplements** 10% FBS

**FS-C3H | 400418**

<b>Dissociation Reagent</b>	Accutase
-----------------------------	----------

<b>Subculturing</b>	PBS	T25	3-5	PBS	T75	5-10	Accutase	T25	1-2	T75	2.5
---------------------	-----	-----	-----	-----	-----	------	----------	-----	-----	-----	-----

<b>Seeding density</b>	$2 \times 10^4$ /
------------------------	-------------------

<b>Fluid renewal</b>	2	3
----------------------	---	---

<b>Freeze medium</b>	FBS +10% DMSO	CM-1	Cytion	800100	CM-1	Cytion	800100
----------------------	---------------	------	--------	--------	------	--------	--------

<b>Thawing and Culturing Cells</b>	1.						
	2.		-150°C			3	
	3.		37°C		40-60		
	4.			70%			
	5.		8	15			
	6.	300 x g	3				
	7.	10			T25		T25
	8.						

<b>Incubation Atmosphere</b>	37°C, 5% CO <sub>2</sub>
------------------------------	--------------------------

<b>Flask Coating</b>	
----------------------	--

<b>Freezing Procedure</b>	-78 °C
---------------------------	--------

FS-C3H | 400418

---

**Shipping  
Conditions**

-78 °C

**Storage  
Conditions**

-150 -196 -80 °C

/ /HLA

**Sterility**

PCR