

-26 | 400156

Description	-26	N-	-N-	NMU	BALB/c	1975
	-26					BALB/c

Organism

Tissue

Disease

Synonyms	MC-26	MC26	Colon 26	Colon26	C-26	C26
-----------------	-------	------	----------	---------	------	-----

Age	6
------------	---

Gender

Morphology

Growth properties

Citation	Colon-26	Cytion	400156
-----------------	----------	--------	--------

Biosafety level	1
------------------------	---

NCBI_TaxID	10090
-------------------	-------

CellosaurusAccession	CVCL_0240
-----------------------------	-----------

Tumorigenic	Balb/c
--------------------	--------

-26 | 400156

Viruses	MAP B.piliformis	Ektromelie	K	Kilham	Reo 3	PVM	LCM	M.pulmonis	MVM	Theiler's GD VII		
Culture Medium	RPMI 1640 w 2.0 mM	w 2.0 g/L NaHCO3	Cytion	820700a								
Supplements	10% FBS											
Dissociation Reagent	Accutase											
Doubling time	15 20											
Subculturing		PBS	T25	3-5	PBS	T75	5-10	Accutase	T25	1-2	T75	2.5
Seeding density	$1 \times 10^4 / \text{cm}^2$ 4											
Fluid renewal	2 3											
Post-Thaw Recovery	⁴ /5×10 24											
Freeze medium		FBS +10% DMSO	CM-1	Cytion	800100				CM-1	Cytion	800100	

-26 | 400156

**Thawing and
Culturing Cells**

1.				
2.		-150°C		3
3.		37°C	40-60	
4.		70%		
5.		8	15	
6.	300 x g	3		
7.	10		T25	T25
8.				

**Incubation
Atmosphere**

37°C, 5% CO₂

Flask Coating

**Freezing
Procedure**

-78 °C

**Shipping
Conditions**

-78 °C

**Storage
Conditions**

-150 -196 -80 °C

/ /HLA

Sterility

PCR